

JVC GR-D239



JVC is one of the world's leading developers and manufacturers of sophisticated audio, video and related software products. Building upon a wealth of technologies the company is moving decisively to offer appropriate solutions for the multimedia age. To remain at the forefront of the audiovisual industry in the 21st century, JVC is marshalling its resources to create the ultimate in appealing, cost-competitive products.

www.dooyoo.co.uk :: Photography :: Digital Camcorder :: JVC GR-D239

General	
Product Type	Camcorder
Width	5.6 cm
Depth	11.2 cm
Height	9.4 cm
Weight	0.4 kg

Main Features	
Webcam Capability	Yes
Media Type	Mini DV
Colour Support	Colour
Horizontal Resolution	520 lines
Optical Sensor Type	CCD
Optical Sensor Size	1/6"
Digital Zoom	800 x
Recording Speed	SP, LP
Shooting Programs	Spotlight, sports mode, twilight mode, snow
Special Effects	Black & White, Sepia, Mirror, Classic Film, Strobe
Faders	White fader, slide wipe, door wipe, black & white fader, scroll wipe, window wipe, corner wipe, shutter wipe, black fader
Image Stabiliser	Electronic
Max Shutter Speed	1/4000 sec
Min Shutter Speed	1/50 sec
Exposure Metering	Spot, matrix
Exposure Modes	Programme, automatic, manual
White Balance	Custom, automatic, presets
White Balance Presets	Fine, cloudy, halogen

Lens System	
Type	Zoom lens - 2.2 mm - 55 mm - f/1.8-3.2
Focal Length	2.2 mm - 55 mm
Focus Adjustment	Automatic, manual
Auto Focus	TTL contrast detection
Lens Aperture	F/1.8-3.2
Optical Zoom	25 x
Zoom Adjustment	Motorised drive
Filter Size	27 mm

Additional Features	
Low Lux / Night Mode	Yes
Search Modes	Blank search
Time Code	Yes
Additional Features	Built-in speaker, backlight compensation, auto power

	save, digital noise reduction
--	-------------------------------

Viewfinder	
Viewfinder Type	LCD monitor
Viewfinder Colour Support	Black & white
Viewfinder Diagonal Size	0.16"

Display	
Type	LCD display - TFT active matrix - 2.5" - colour
Display Form Factor	Rotating

Microphone	
Type	Microphone - built-in
Microphone Technology	Electret condenser
Microphone Operation Mode	Mono

Connections	
Connector Type	1 x IEEE 1394 (FireWire/i.LINK) 1 x DC power input 1 x S-Video output 1 x composite video/audio output

Miscellaneous	
Included Accessories	Camcorder shoulder strap, lens cap
Cables Included	A/V cable

Power	
Power Device	Power adapter - external

Battery	
Supported Battery	JVC BN-VF707U
Supported Battery Details	1 x Li-ion rechargeable battery - 700 mAh (included)

Environmental Parameters	
Min Operating Temperature	0 °C
Max Operating Temperature	40 °C

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>