

The FireStage Series
Vent-Free Fireboxes



The FireStage Series
a performance worth
remembering.



The FireStage Series: UV33/36

Designed to fit any style and almost any room.

UV33/36 vent-free fireboxes by Majestic feature a small footprint so they can be easily installed almost anywhere you want. At the same time, they offer modest hearth openings – large enough to accommodate up to 23" vent-free gas logs – for maximum viewing enjoyment. Majestic allows you to add comfort and majesty to your life, and warmth to your home.

Log Models & Features (that fit UV33 and UV36)

Log Set	Fuel	Front Width	Rear Width	Overall Depth	Overall Height	Min. Input BTU/hr	Max. Input BTU/hr
18" VL18	Nat. Gas	21"	16 1/2"	13 1/2"	17"	15,000	24,000
21" VL21	Nat. Gas	21"	18 1/2"	13 1/2"	17"	18,000	32,000
18" VL18LP	LP	21"	16 1/2"	13 1/2"	17"	15,000	24,000
21" VL21LP	LP	21"	18 1/2"	13 1/2"	17"	18,000	32,000
UVHK29RN	Nat. Gas	23"	16"	14 1/2"	17"	29,000	14,000
UVHK23RP	LP	23"	16"	14 1/2"	17"	23,000	14,000

Features and Benefits

Features

- Sliding mesh screen
- A standard full brick-patterned refractory lining
- The 33" firebox projects only 18 1/2" into the room and the 36" firebox projects only 14 1/2" into the room
- 33" brick-to-brick opening width, 16 3/4" hearth depth
- Great installation flexibility
- 33" Firebox available in Radiant (UV33) or Circulating (UV33C) models
- Standard heat-deflecting hood protects mantel finish

- Vent-free technology allows location nearly anywhere
- Build in for a custom look

Vent-Free Log Choices & Options:

- 99.9% efficient—and you keep all the heat!
- Glowing embers and tall colorful flames
- Provides reliable standby heat during power outages

- Choose from four vent-free gas log models:

- UVHK23
- UVHK29
- VL18
- VL21

- All models have fully variable controls. Millivolt models may be operated with integral on/off switch or optional remote controls
- Remote controls for millivolt logs: on/off wall switch, hand-held, wireless on/off control, and hand-held, wireless thermostatic control



UVSRC36A

The Firestage Series



From large spaces to cozy rooms, the FireStage Series by Majestic is the right choice for adding the warmth and elegance of a fireplace almost anywhere.

A custom look for custom homes: UVSRC Series

Our UVSRC Models are designed for larger rooms typical of custom homes. Large, deep hearths are surrounded by classic herringbone firebrick panels that can accommodate a huge selection of logs. High openings allow UVSRC models to be used in rooms where most vent-free fireplaces would be overlooked. And with both 42" and 36" models available, it's easy to make the right choice every time.

Features and Benefits

Standard Features

- 28" high openings, proportioned for higher ceilings, make a strong impression, even in spacious living rooms
- A distinctive herringbone firebrick pattern creates the look of a quality custom-built fireplace comes standard
- Flush face construction allows up-to-the-opening custom finishing with any noncombustible material
- Vent-free design and minimal clearance to floor and walls provide great installation flexibility
- Universal UL listing allows installation of any applicable Z21.11.2 certified vent-free gas logs
- Vent free gas logs by Majestic Fireplaces™ can be installed in UVSRC fireboxes

Options

- Heat deflecting hoods in black, glass or brass finish, including special hoods for brick facings, reduce required vertical clearance to combustible projecting woodwork where needed
- Decorative ceramic fiber hearth accessory kit (HK7) includes five charred wood pieces and two pine cones, enhances fireplace charm and realism
- Blower BL-4 for flush faced models



The FireStage Series: UVDC/DR Collection

More choices for even more style.

The UVDC/DR Series gives you more choices to let you find the style that fits your home perfectly. Available in Radiant (louver free), Circulating (louvers), and Radiant-Circulating (louver free) – all with vent-free convenience – we make it easy to add a fireplace to your home that reflects your own good taste.

Features and Benefits

Features

- Full brick refractory liner
- Wider, higher openings, deeper hearths
- True 42" or 36" openings — brick-to-brick and screened
- Deeper hearths — 19" for 42" fireplaces; 17³/₄" for 36's
- Standard heat deflecting hood protects mantel finish
- No chimney, no venting required
 - Maximum location flexibility
 - Easy installation
- Finish louver-free models (UVDR series) up to the opening with any non-combustible material for a true custom look

Options

- Louver trim kits in polished brass finish: LPB36 and LPB42-4
- Polished brass finished surround kits SPB36 and SPB42-4
- Remote controls for millivolt burners
- Blower BL-1 for louvered models (UVDC series) only
Blower BL-4 for flush faced models (UVDR36C/42C) only
- Optional variable speed control (SVCS) available for models with optional fan
- Heat deflecting hood are available in polished brass finish (UC-36PB, UC-42PB). Black finished hoods are also available for use with brick facings (UVDC36/UVDR42)
- Glass hoods also available


Optional Vent Free

Gas Logs


- Choose from four log styles that offer a wide range of heating capacities, three burner styles, and manual or remote capable millivolt control
- Even 36" models accommodate 30" logs due to uniquely design
- Universal UL listing allows use of vent-free logs subject to the logs' hearth and opening requirements
- Vent-Free Gas Log are 99.9% efficient — and you keep all the heat!
- Great style, size, and operation mode selection
- Controls require no electrical connection to provide standby heat during winter power outages

The FireStage Series Vent-Free Fireboxes

Models • UVDC/UVDR • UVDR36C/42C







	36" Circulating	36" Radiant	42" Circulating	42" Radiant
A	36"	36"	42"	42"
B	21 7/8"	21 7/8"	21 7/8"	21 7/8"
C	39"	39"	45"	45"
D	7"	7"	8"	8"
E	31 1/2"	n/a	33"	n/a
F	35"	35"	39"	39"
G	38 1/4"	38 1/4"	42 1/4"	42 1/4"
H	2"	n/a	3"	n/a
I	9"	9"	10 1/2"	10 1/2"
J	21"	21"	22"	22"
K	8 5/8"	8 5/8"	9 3/4"	9 3/4"
N	22"	22"	32"	32"
O	21"	21"	22"	22"
Q	65"	65"	76 1/4"	76 1/4"
R	32 1/2"	32 1/2"	38 1/8"	38 1/8"
S	46"	46"	54"	54"




	UVDR36C Radiant Circulator	UVDR42C Radiant Circulator
A	36"	42"
B	21 7/8"	21 7/8"
C	39"	45"
D	7"	8"
E	35"	39"
F	38 1/4"	42 1/4"
G	9"	10 1/2"
H	21"	22"
J	8 5/8"	9 3/4"
K	22"	32"
L	21"	22"
M	65"	76 1/4"
N	32 1/2"	38 1/8"
P	46"	54"

The FireStage Series Vent-Free Fireboxes
 Models • UVSRC36/42 • UV33/UV33C • UV36



Interior Firebox Hearth Dimensions

Model	Front Width A	Back Width B	Depth C
UVSRC36A	35" (889 mm)	23 1/8" (589 mm)	16 1/4" (413 mm)
UVSRC42A	40 3/4" (683 mm)	32 7/8" (559 mm)	18 1/2" (451 mm)
UVDR36C	35" (889 mm)	23 1/8" (589 mm)	16 1/4" (413 mm)
UVDC42C	41 3/4" (683 mm)	32 7/8" (559 mm)	18 1/2" (451 mm)
UVDC36 / UVDR36	35" (889 mm)	23 1/8" (589 mm)	16 1/4" (413 mm)
UVDC42 / UVDR42	41" (1041 mm)	32" (813 mm)	18 1/4" (464 mm)
UV33/UV33C	30" (762 mm)	20" (508 mm)	16 3/4" (426 mm)
UV36	30 1/2" (775 mm)	20 1/4" (514 mm)	11" (279 mm)



ph: 1.800.525.1898
 www.vermontcastings.com
 www.majesticproducts.com

YOUR DEALER

Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>