


# Fastmark 6000 Series

## Widen Your Horizons



### Fastmark 6000 Series – Wide Width Printing

When applications require the maximum print widths, the Fastmark 6000 Series boasts all the features you require. A durable, cost effective printer for high duty demand printing of compliance, chemical, transportation, automotive and other industry standard labels.

- Durable Metal Construction
- Outstanding Price Performance
- Multiple Onboard Emulation's
- Front Panel LCD and LED Indicators
- Easy Load and Go Consumable Paths
- A Multitude of Key Options and Accessories



# FM 6000 Series – When Bigger Is Better

The Fastmark 6000 Series features all metal construction designed to perform and last in the most adverse work environments. Ideal for the large and wide compliance label printing requirements of AIAG, VICS, UCC, EAN-128, ODETTE and many other industry segments.



## PRINTER SPECIFICATIONS INCLUDE:

<b>Models</b>	FM6602	<b>Memory/Buffer</b>	2MB DRAM, 1MB Flash ROM
<b>Speed</b>	FM6602: 2 to 6 ips (51 - 152mm/s)	<b>Software</b>	Windows Drivers (95/98/NT/2000) Label creation software included
<b>Print Resolution</b>	FM6602: 203 dpi (8 dots/mm)	<b>Emulations</b>	Multiple Industry Emulations
<b>Fonts</b>	International character sets 5 alpha-numeric fonts from .049" - 0.23"H (1.25mm-6.0mm) All fonts expandable up to 24 x 24 0° - 270° text and barcode rotation Downloadable soft fonts	<b>Interface</b>	Centronics parallel, RS-232 serial, PS-2, keyboard wedge
<b>Bar Codes</b>	Code 39, Extended Code 39, Code 93, Code 128 UCC Code 128(Subset A,B,C), Codabar, Interleave 2 of 5 EAN-8 2&5 add on, EAN-13, EAN-128, UPC, UPC-A E 2&5 add on, POSTNET, German POST, Matrix 25	<b>Optional Interface</b>	Ethernet, Twinax, Coax, USB
<b>Graphics</b>	PCX bit map, GDI graphics	<b>Physical/Electrical</b>	W12.25" X H10.25" X L18" (W311 X H260 X L457mm) 26.5 lbs (12kgs) 110/220 VAC ± 10%, 50/60 Hz CE, UL, CUL, FCC class A
<b>2D Bar Codes</b>	Maxicode, PDF-417, Datamatrix	<b>Features</b>	CPU: 32bit RISC microprocessor Display: LCD display, 2-line X 16 LED indicators X 3 Tear bar, clear media view window Removable back plate for fan fold medias Easy consumable path for load/reload Floating thermal print head for edge to edge printing
<b>Print Length &amp; Width</b>	Length: 1" - 30" (25mm - 1143mm) Width: 6.3" (160mm)	<b>Environmental</b>	40°F ~ 100°F (4°C ~ 38°C) 10 ~ 90% non condensing
<b>Print Method</b>	Direct Thermal and Thermal Transfer	<b>Options</b>	Peel and Present w/ internal rewind Real time clock
<b>Media Size</b>	Max width 6.7" (170mm), Min width 2.0" (51mm) Min length 0.4" (10mm) Thickness .0025" ~ .01 (.0635mm ~ .245mm) Max roll capacity 8" (203mm) O.D. Core size 1.5" ~ 3" (38mm ~ 76mm) I.D.	<b>Warranty</b>	One year Parts and Labor, Return to Depot Six months Printhead
<b>Media Type</b>	Roll, die-cut, continuous, fan-fold, tags, ticket, thermal paper, plain paper, or labels		
<b>Indexing</b>	Black Bar, Notch and Gap Media Sensor: Reflective, Transmissive		
<b>Ribbon</b>	Wax, Wax/Resin, Resin Ribbon width - 2" - 6.3" (00mm - 000mm) Ribbon roll - max O.D. 3" (75mm) Core size 1" core I.D. (25mm) Ribbon length - 1182' (360M)		

All products are trademarks of their respective owners. Specifications are subject to change without notice. Some models and features may not be currently available.

Part No. 110623 Rev. A

## AMT Datasouth

**Corporate Headquarters**  
4765 Calle Quetzal, Camarillo, CA 93012  
(805) 388-5799 PH  
(805) 484-5282 FX

**Charlotte Operation**  
4216 Stuart Andrew Blvd., Charlotte, NC 28217  
(704) 523-8500 PH  
(704) 525-6104 FX

**AMT Datasouth International**  
Unit B, Pinnacle 15, Gowerton Rd, Brackmills  
Northampton, NN4 7BW, England  
+44 1604 763394 PH  
+44 1604 760661 FX

<http://www.amtdatasouth.com>

Download from [www.Somanuals.com](http://www.Somanuals.com). All Manuals Search And Download.

## Free Manuals Download Website

<http://myh66.com>

<http://usermanuals.us>

<http://www.somanuals.com>

<http://www.4manuals.cc>

<http://www.manual-lib.com>

<http://www.404manual.com>

<http://www.luxmanual.com>

<http://aubethermostatmanual.com>

Golf course search by state

<http://golfingnear.com>

Email search by domain

<http://emailbydomain.com>

Auto manuals search

<http://auto.somanuals.com>

TV manuals search

<http://tv.somanuals.com>